

BID SUBMISSION FORM

Original/ Duplicate

**SUPPLY OF 50 METRIC TON OF POLY ALUMINIUM CHLORIDE TO PARANTHAN CHEMICALS
COMPANY LIMITED.
CLOSING AT 11.30 AM ON 29th NOVEMBER 2022**

- 01. Name & address of the Bidder (Principal) :
- 02. Telephone Numbers, E-mail Address, :
Web Site and Name of contact person
of Principal
- 03. Name, address & contact No :
of Manufacturer:
- 04. Name, address & contact No :
of the Exporter (If relevant) :
- 05. Name, address & contact No :
of the Local Agent (If relevant) :
- 06. LC to be opened in favour of :
- 07. Price: (Please quote one firm price)
 - a). **FOB** (In figures) :
 - (In words) :
 - b). **CI** (In figures) :
 - (In figures) :
 - b:1). **FREIGHT**
(Liner terms Colombo)
 - (In figures) :
 - (In words) :
 - b:2). **Insurance**
 - (In figures) :
 - (In words) :

05

08. Country of Origin :

09. Port of Shipment :

10. Delivery period :

11. Packing Offered :

(a) Packing & Dimension :

(b) Tare weight of Bag :

12. Name and address of Bankers :

- **PCCL bears Delivery order, bank guarantee & Refundable container deposits charges and no additional charges only and will be paid.**

13. Bank Details :

(To Credit for Maintenance Charges)

.....

.....

14. Remarks :

15. ANALYSIS

General requirements : The Poly Aluminium Chloride shall be in form of white to pale yellow powder, free from dirt, organic contaminants and other visible impurities.

Parameter	Specifications (Required)	
Description of Item	Powder/Granules
Pack Size	25kg.P.P -2 ply bags.
Qty.	50,000
Units	Kg
Grade	Drinking water grade
Appearance	White to Pale Yellow powder.
Alumina (Al ₂ O ₃) Content %	28 (by mass) (Min)
Water Insoluble matter %	1.5 (by mass) (Max)
Ammoniacal Nitrogen %	0.01 (by mass) (Max)
pH Value (5% Solution)	2.5 - 4.5
Chloride (As Cl ⁻)	33 (by mass) (Max)
Sulphate (As SO ₄ ²⁻)	10 (by mass) (Max)
Basicity %	35 (by mass) (Min)
Arsenic	15 ppm (Max)
Cadmium	18 ppm (Max)
Chromium	45 ppm (Max)
Mercury	0.6 ppm (Max)
Nickel	700 ppm (Max)
Lead	90 ppm (Max)
Antimony	40 ppm (Max)
Selenium	40 ppm (Max)
Iron	300 ppm (Max)
Manganese	300 ppm (Max)
Particle Size- passing through 4mm (ASTM no.5) sieve	100%

The Analytical value should be given for each of the items specified above. If the value is not given even for one item, the tender would be rejected.

I/We the undersigned having read the tender documents dated 08th November 2022 hereby undertake to supply materials in accordance with conditions of the tender.

I/We confirm that this offer shall be opened for acceptance till
.....and that same shall not be withdrawn or revoked prior to the said date.

I/We understand that the Paranthan Chemicals Company Limited is not bound to accept the lowest or any other tender they may receive.

I/We hereby undertake to ship the above item in single shipments as per **Tender condition No. 18**

Signature of Tenderer :

Name & Address of Tenderer

Name :

Address :

.....

.....

Fax :

E-Mail :

NOTE :

I/ We accept the above terms and conditions of this tender.

.....

...

(Signature of tenderer / seal of Company)

Date :.....

Witness to signature of the Tenderer

01.

02.

Qualification Information

To be completed by the bidder and submitted with the bid.

	Eligibility Requirement	Remarks
Business Registration	Required	
A. Registration number	Required	
Grade /category	Chemical	
Legal Status	(Public company/ Private Company/ Partnership/Sole proprietor)	
B. Export License	Required	
C. Manufacturer's Quality Certificate.	Required	
D. Manufacturing & Selling Authority License	Required	
E. Material Safety Datasheet (MSDS)	Required	
F. ISO Certificate or other	Required	
G. Third-party Inspection Report	Required	
H. Factory Lab Report	Required	
Monthly Production Capacity MTs	Required	
Have you been Blacklisted to supply chemicals in the government tender?		Yes/No
IF yes provide details		
Have you ever been declared as a defaulted Supplier for this chemical?		Yes/No
IF yes provide details		
	Please attach a list with client contact details	

(Please mark reference letter in the top right-hand corner for our reference.)

Signature of the Bidder:

